

DUSF400S



Category Double under-counter

Product Family Oven
Power supply Electric
Heat source Electric
Heat source second cavity Electric

Cooking method Thermo-ventilated

Cooking Method Secondary Oven Static

EAN code 8017709272654



Silk screen

Aesthetics

AestheticsCucinaSerigraphy colourGreyColourSilverSerigraphy typeSymbolsDesignFlatDoorFull glass

Component finishStainless steelHandleSquared SelectionMaterialStainless steelHandle ColourSteel effect

MaterialStainless steelHandle ColourType of steelBrushedLogoGlass TypeStopsol

Programs / Functions

No. of cooking functions 4

Traditional cooking functions

Ciculaire ECO ECO Large grill

Fan grill (large)

Programs / Functions Auxiliary Oven

No. of functions Secondary oven 4



Traditional cooking functions, cavity 2

Static

ECO ECO

Small grill

Large grill

Controls

DIGI

Display name
Display technology
Control setting

DigiScreen LED

Knobs & touch buttons

No. of controls

Control knobs
Controls colour
Buttons colour

Cucina restyling Steel effect

Silver

Options

Time-setting options

Delay start and automatic

end cooking

Minute minder Yes

Timer 1

Rapid pre-heating Yes

Options Auxiliary Oven

Time-setting options No delay options

Technical Features

.4





Minimum Temperature







50 °C



Maximum temperature 250 °C Shelf positions 4

Shelves type Metal racks

No. of lights 1

Light type Halogen
User-replaceable light Yes
Light power 40 W
Grill element - power 1800 W

Circular heating element 2700 W

- Power

Heating suspended Yes

when door is opened

Door opening type Standard opening

Door

Removable door Yes
Full glass inner door Yes
Removable inner door Yes
Total no. of door glasses 3
Safety Thermostat Yes

Cooling system Tangential
Cooling duct Single
Speed Reduction Yes

Cooling System

Usable cavity space dimensions (HxWxD)

Temperature control Cavity material

316x460x412 mm

Temperate door

Electro-mechanical Easy clean enamel

Second Oven Technical Features













Minimum Temperature 80°C 250 °C Maximum temperature Shelf positions 2 Tiliting grill Yes No. of lights 1

Light type Halogen 40 W Light power Bottom heating element 1200 W

Upper heating element - 1000 W

Power

Grill element - power 1700 W Large grill - Power 2700 W Removable door Yes Full glass inner door Yes Removable inner door Yes No. of total door glasses 3 No. of thermoreflecting

door glasses

Usable cavity space 169x440x443 mm

dimensions (HxWxD)

Performance / Energy Label





Energy efficiency class Net volume of the cavity 61 litres Energy consumption in 2.77 MJ

forced air convection

Energy consumption per 0.77 KWh

cycle in fan-forced

convection

Number of cavities Energy efficiency index 95.1 % Energy Efficiency Index, 120 %

second cavity

Performance / Energy Label - Second Cavity







Energy efficiency class, second cavity

Energy efficiency class,

second cavity

Energy consumption per 0.84 KWh

cycle in conventional mode, second cavity

Consumo di energia per 3.02 MJ

ciclo in convezione naturale, seconda

cavità

Net volume of the 35 litres second cavity

Gross volume of second 41 I

cavity Cavity type EN 50304

small second oven

Accessories Included

Chrome shelf 2 Grill mesh 2 Extra deep enamelled 2

tray (40mm)

Electrical Connection


220-240 V Voltage Current 21 A

Voltage 2 (V) 380-415 V



Frequency (Hz)

50/60 Hz





Not included accessories

GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.

GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



Symbols glossary

A: Product drying performance, measured from A+++ to D / G depending on the product family



B: Product energy rating, measured from A+++ to D / G depending on the product family.



Air cooling system: to ensure a safe surface temperatures.



Triple glazed doors: Number of glazed doors.



Electric



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.



The oven cavity has 2 different cooking levels.



The oven cavity has 4 different cooking levels.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.





The capacity indicates the amount of usable space in the oven cavity in litres.





Benefit

Rapid pre-heating

Pre-riscaldamento rapido