

CX93GMBL

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Type of second oven EAN code

Energy efficiency class

Energy efficiency class, second cavity

90x60 cm

2

Electric

Gas

Thermo-ventilated

Thermo-ventilated

8017709334536

В



Aesthetics







Aesthetics Classic

Series Design Standard Colour Black

Finishing Command panel finish

Logo position

Hob colour Type of pan stands

Type of control setting

Concert

Gloss Black

Enamelled metal

Silk screen

Command panel Black enamel

Cast Iron Control knobs Control knobs

Controls colour No. of controls

Serigraphy colour Display

Door Glass type

Handle

Handle Colour

Feet

Smeg Classic

Stainless steel

Silver Touch Full glass

Smeq Classic

Polished stainless steel

Black

Black

Programs / Functions

No. of cooking functions Traditional cooking functions



Circulaire

1

Programs / Functions Auxiliary Oven

Cooking functions cavity 2

1



Programme / Functions Third Oven

No. of functions third oven

Full grill



Hob technical features



Total no. of cook zones 5

Front left - Gas - Rapid - 2.90 kW

Rear left - Gas - Semi Rapid - 1.80 kW

Central - Gas - UR - 4.00 kW

Rear right - Gas - Semi Rapid - 1.80 kW

Front right - Gas - AUX - 1.00 kW

Type of gas burners Standard

Automatic electronic Yes

ignition

Gas safety valves

Burner caps Matt black enamelled

Yes

Main Oven Technical Features















No. of lights 1 Fan number

Net volume of the cavity 61 litres Gross volume, 1st cavity 70 l

Cavity material Easy clean enamel

Shelf positions

Type of shelves Metal racks Light type Halogen 40 W Light power

Cooking time setting Start and Stop

Door opening Side opening

Removable door Yes Full glass inner door Yes Removable inner door Yes

Total no. of door glasses 3 No.of thermo-reflective

door glasses

Safety Thermostat Yes

Cooling system **Tangential**

Usable cavity space

316x460x412 mm

dimensions (HxWxD)

Temperature control Electro-mechanical

Circular heating element 2000 W

- Power

Options Main Oven

50 °C Timer Yes Minimum Temperature End of cooking acoustic Yes Maximum temperature 245 °C

alarm

Second Oven Technical Features





















Fan number 1

Net volume of the

second cavity

Gross volume, 2nd

cavity

Cavity material

Shelf positions

Type of shelves

Door opening Removable door

62 litres

69 I

Easy clean enamel

Metal racks

Side opening

Full glass inner door

No. total door glasses 2

No. thermo-reflective

door glasses

Safety Thermostat

Cooling system **Tangential**

Usable cavity space

dimensions (HxWxD)

Temperature control Electro-mechanical

Yes

1

Yes

605x275x370 mm

Circular heating element 2500 W

- Power

Options Auxiliary Oven

Minimum Temperature 50 °C

245 °C Maximum temperature

Third Oven Technical Features















Net volume, 3rd cavity

Gross volume, 3rd

cavity

Cavity material

Shelf positions

Type of shelves

Door opening

Removable door Full glass inner door

Removable inner door



35 I



41 I

Easy clean enamel

Metal racks Flap down

Yes

Yes Yes

No. total door glasses 3

No. of thermo-reflective 1 door glasses

Tilting grill

Safety Thermostat

Cooling system **Tangential**

Usable cavity space

dimensions (HxWxD)

Temperature control Electro-mechanical

Large grill - Power 2700 W Grill type Electric

Options Third Oven

260 °C Minimum Temperature 50 °C Maximum temperature

Accessories included for Main Oven & Hob

Rack with back and side 1 stop

40mm deep tray

Yes

Yes

169x440x443 mm

Accessories included for Secondary Oven

Chrome shelf with back stop

Electrical Connection

09/10/2024 **SMEG SPA**




 Max Power Draw
 7600 W

 Current
 33 A

 Voltage
 220-240 V

 Voltage 2 (V)
 380-415 V

Additional connection modalities Frequency Terminal block Yes, Double and Three Phase 50/60 Hz 5 poles





Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1 Child lock

GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



WOKGHU

Cast-Iron WOK Support



GRM

Gas hobs moka support



BG6090-1

Cast iron grill plate suitable for Concert cookers



KIT90N9

Splashback 90 cm, black, for BU & BM cookers



BN620-1

Enamelled tray, 20mm deep



PPX6090-1

Stainless steel teppanyaki grill plate suitable for 90cm Concert cookers



KITH93

Height extension kit (950 mm), suitable for TR93 cookers



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



STONE

Rectangular refractory stone. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



PALPZ

BN640



Pizza shovel with fold away handle width: 315mm length: 325mm



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

SMOLD



Enamelled tray, 40mm deep



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary

| _ | W*** |
|---|------|
| | Ď |
| | |

A: Product drying performance, measured from A+++ to D / G depending on the product family



B: Product energy rating, measured from A+++ to D / G depending on the product family.



Heavy duty cast iron pan stands: for maximum stability and strength.



Installation in column: Installation in column



Air cooling system: to ensure a safe surface temperatures.



Double glazed doors: Number of glazed doors.



Triple glazed doors: Number of glazed doors.



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



The oven cavity has 2 different cooking levels.



The oven cavity has 4 different cooking levels.



The oven cavity has 9 different cooking levels.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



The touch timer display or DigiScreen guarantees simple functionality. They display the time, set programmed cooking and the minute minder timer.



Knobs control



Benefit

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Ever Clean Enamel

Easy oven cleaning thanks to special pyrolytic enamel

Touch control

Easy and intuitive timer setting with a single touch

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Cold door

During any function, the external door glass is cold, avoiding any risk of burns



AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)